Name:

A polynomial function is a function of the form

$$f(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x + a_0,$$

where  $a_i \in \mathbb{R}$  and  $a_n \neq 0$ . The degree of f(x) is  $\deg(f) = n$ . The real numbers  $a_i$  are the coefficients of f(x). The leading coefficient of f(x) is  $a_n$ . The constant coefficient of f(x) is  $a_0$ .

The zeros, or roots, of f(x) are the complex solutions to the equation f(x) = 0.


The y-intercept of f(x) is the point (0, f(0)).

The x-intercepts of f(x) are the points (r,0), where r is a real root of f(x).

The shape of f(x) is

- (a) +|+ if n is even and  $a_n > 0$ ;
- (b) -|- if n is even and  $a_n < 0$ ;
- (c) -|+ if n is odd and  $a_n > 0$ ;
- (d) + |- if n is odd and  $a_n < 0$ .

Find the degree, leading coefficient, roots, intercepts, and shape of f(x). Use the intercepts and the shape to sketch the graph of f(x).



**Problem 1:**  $f(x) = 8 - 2x^2$ 

Degree:

Leading Coefficient:


**Constant Coefficient:** 

Zeros:

y-intercept:

x-intercepts:

Shape:



**Problem 2:**  $f(x) = x^3 - 5x^2 - 2x + 10$ 

Degree:

Leading Coefficient:


Constant Coefficient:

Zeros:


y-intercept:

x-intercepts:

Shape:




 $f(x) = \sqrt{11} - 3x$ 



y-intercept:

x-intercepts:

Shape:



 $f(x) = x^3 - 5x^2 + x + 15$ Problem 5:

Degree:

Leading Coefficient:

**Constant Coefficient:** 

Zeros:

y-intercept:

x-intercepts:

Shape:

**Hint:** Guess a zero z via the Rational Zeros Theorem, find  $f(x) \div (x-z)$ , then factor.)