CATEGORY THEORY CATEGORY III - GRAPHS

PAUL L. BAILEY

1. Graphs

Definition 1 (Objects). Let $graph(V, \mathcal{E})$ consists of a set V together with a collection of subsets $\mathcal{E} \subset \mathcal{P}(V)$ such that each member of \mathcal{E} contains exactly two elements. The members of V are called vertices and the members of \mathcal{E} are called vertices and the members of \mathcal{E} are called vertices and vertices are called vertices and vertices are called vertices and vertices are called vertices and vertices and vertices are called vertices and vertices are called vertices and vertices are called vertices and vertices and vertices are called vertices and vertices and vertices are called vertices and vertices are called vertices and vertices and vertices are called vertices and vertices are called vertices and vertices are called vertices and vertices and vertices are called vertices are called vertices and vertices are called vert


Definition 2 (Subobjects). Let (V, \mathcal{E}) be a graph. A *subgraph* of V consists of a set $W \subset V$ and a set $\mathcal{F} \subset \mathcal{E}$ such that $\{w_1, w_2\} \in \mathcal{F}$ implies $w_1, w_2 \in H$.

Definition 3 (Morphisms). Let (G, \mathcal{E}) and (H, \mathcal{F}) be graphs. A function $f: G \to H$ is called *edge preserving* if

$$\{v_1, v_2\} \in \mathcal{E} \quad \Rightarrow \quad \{f(v_1), f(v_2)\} \in \mathcal{F}.$$

The identity map on V is edge preserving, and the composition of edge preserving functions is edge preserving. Thus, graphs with edge preserving maps form a category.

Problem 1. Describe the automorphism groups of each of these graphs.



DEPARTMENT OF MATHEMATICS, BASIS SCOTTSDALE *E-mail address*: pbailey@basised.com

 $Date \hbox{: February 3, 2018.}$